



Cable Fire Protection PYROMENT KVB 2000[®] + Typ W

Preventive fire protection with PYROMENT KVB 2000®

PYROMENT KVB 2000®, a flexible cable-wrapping system from G+H ISOLIERUNG, is a solution in the field of protective fire protection for electrical cables and cable systems. The fire protection wrap, which has been approved by the German Institute of Construction Technology, reliably prevents spreading of fire in the case of overheating or a short circuit. In addition to the outstanding protection factor, PYROMENT KVB 2000® also impresses with its ease of use, flexibility and its low surface weight.



PYROMENT KVB 2000® is a full cable wrap for indoor use. The system inhibits the outbreak of cable fires and delays functionality loss of electrical cables when fires do occur. At the same time, the cable wrap confines the build-up of toxic and corrosive combustion gases by reducing the burnout of cable insulation.

For electrical lines (cables) or wiring installations (cable systems) wrapped in fire protection fabric, it was demonstrated as part of the application approval that

- if exposed to fire from the outside, the requirements for fire resistant building materials (building material class DIN 4102-B1) are fulfilled or
- in the event of spontaneous combustion of electrical lines or cable systems due to short-circuiting or overheating, fire initiation is impeded and fire propagation is retarded.

Since April 2007, PYROMENT KVB 2000® has been approved by the German Institute of Construction Technology for all cable types and systems.

The product is delivered with an insulation generating material on both sides of the backing fabric which, when heated, forms a heat and smoke-resistant foam barrier.

With this two-fold protection the cable wrap fulfills a dual function: Both inside protection – for example from cable overheating – and outside protection when, for example, the building is on fire.

The handling of the material is extremely simple. PYROMENT KVB 2000® bands are about one millimeter thick and as flexible as rubber strips. During installation, the material is applied overlappingly directly around the cables or cable ducts that are to be protected. The material is fastened using inflammable clips, wires or tape.

indoors

Approvals


- Material approval
no. Z-19.11-615
- System approval
no. Z-56.217-3547




PYROMENT KVB 2000® can be applied horizontally and vertically in any imaginable geometry. With the tight-fitting installation following the route of the cable, the wrapping offers maximum security in a minimum of space. When installed properly, damage to cable lining, insulation or carrying systems is impossible. Due to the low surface weight of approx. 1,200 g/m² no additional hanging or support is necessary. Once installed, PYROMENT KVB 2000® dissipates heat well, making ventilating brick superfluous. In addition to its applications in building and industrial technology, PYROMENT KVB 2000®, because of its dust-free installation, is also suitable for clean rooms.

Whereas the disadvantages of traditional cable ducts quickly become obvious in tight spaces and with heavy concentration of cables, the PYROMENT KVB 2000® is able to effectively protect constricted areas and those difficult to reach. Subsequent installation for cable ducts that have already been installed can be undertaken at any time with no difficulties. There are no limits with regard to the size of the cable and cable systems


or with regard to the permissible amount of cables. The use in escape routes should be decided by the building inspection authorities, possibly in connection with a fire protection concept. Thanks to the outstanding features of PYROMENT KVB 2000®, the user has access to a premium quality product for preventive fire protection, one which can be installed easily and affordably.



Fastening with metal clips,
wire rivets, etc.



Fastening with metal stretch
tape, wire, etc.



Areas of application

- Indoor cable ducts and cables
- Building and industrial technology as well as cleanrooms

Advantages


- Suppression of cable fires
- Preventing the spreading of local fire sources via cable ducts
- Extended functionality of electrical cables in case of fire

Sizes available

- Standard width 1,150 mm, all widths up to 1,150 mm can be supplied upon request
- Standard length 20 m
- Thickness approx. 1 mm
- Surface weight approx. 1,200 g/m²

Features

- Machine made
- Poses no health hazard
- Aging resistant and non-hygroscopic
- Low space requirement
- Dry and simple installation
- Flexible
- Easy to fasten
- Installation possible at any time
- No problem with complex geometry



Bandaged cable on a horizontal cable duct



Waterproof fire protection with PYROMENT KVB 2000® Typ W

PYROMENT KVB 2000® Typ W from G+H ISOLIERUNG provides optimum protection for your outdoor cables because the PYROMENT KVB 2000® Typ W fire protection system maintains its protective function even in wet conditions. Complex sheet metal or foil coverings as well as costly lacquer finishes are no longer necessary.

PYROMENT KVB 2000® Typ W is a black cable wrap on a graphite basis. It foams when heated and thus stems

the outbreak of cable fires, delays the loss of electrical cables in case of fire and prevents the spreading of local sources of fire via cable ducts. As a result of its extremely low surface weight of only about 1,200 grams/m² the thin and flexible wrapping is also very easy to install.

PYROMENT KVB 2000® Typ W offers optimal fire protection for electrical cables in those areas that can get wet.



Areas of application

- Outdoor cable ducts and cables

Advantages

- Protection against cable fires
- Protection against the spread of local fire sources via the cable ducts
- Extended functionality of electrical cables in case of fire
- Things that are no longer necessary include: costly coverings, lacquer and supports

Features

- Thickness 1.2 to 1.6 mm
- Surface weight approx. 1,200 g/m²
- Waterproof fire protection fabric
- Up to 120 minutes of fire resistance according to the function maintenance tests of the MPA Dresden
- UV resistance was not tested

and outdoors

Certificates

- Approved by the German Construction Institute, material approval no. Z-19.11.1865
- Function maintenance test from the MPA Dresden following IEC 6033-11 and IEC 60 331-21

GRUPPE **G+H** ISOLIERUNG

Headquaters

 Isolierungen Leipzig, Dresden Meschwitzstr. 12 · 01099 Dresden Phone: +49 351 82984-0	 G+H ISOLIERUNG, Bochum Auf den Holln 47 · 44894 Bochum Phone: +49 234 268-121	 G+H Schallschutz, Ludwigshafen Bürgermeister-Grünzweig-Str. 1 · 67059 Ludwigshafen Phone: +49 621 502-525
 Isolierungen Leipzig, Cottbus Berliner Str. 129 · 03046 Cottbus Phone: +49 355 78059-0	 G+H ISOLIERUNG – Large Projects, Bochum Auf den Holln 47 · 44894 Bochum Phone: +49 234 268-253	 G+H Schallschutz – Power Plants, Ludwigshafen Bürgermeister-Grünzweig-Str. 1 · 67059 Ludwigshafen Phone: +49 621 502-288
 Isolierungen Leipzig, Leipzig Hohmannstr. 7c · 04129 Leipzig Phone: +49 345 5660-300	 G+H Metalltechnik, Bochum Auf den Holln 47 · 44894 Bochum Phone: +49 234 268-165	 G+H Schallschutz – Vibration Insulation, Ludwigshafen Bürgermeister-Grünzweig-Str. 1 · 67059 Ludwigshafen Phone: +49 621 502-529
 Isolierungen Leipzig, Halle/Saale Hansastr. 8 · 06118 Halle/Saale Phone: +49 345 52180-0	 G+H Schallschutz, Bochum Auf den Holln 47 · 44894 Bochum Phone: +49 234 268-101	 G+H ISOLIERUNG, Ludwigshafen Große Hohl 6 · 67354 Römerberg Phone: +49 6232 6774-101
 Isolierungen Leipzig, Berlin Landsberger Str. 226 · 12623 Berlin Phone: +49 30 293365-0	 G+H Schallschutz – Gas and Oil, Bochum Auf den Holln 47 · 44894 Bochum Phone: +49 234 268-159	 G+H Edelstahltechnik, Maxdorf Im Horst 13 · 67133 Maxdorf Phone: +49 6237 9764-77
 G+H – DWUZET Fassadentechnik, Berlin Weißenseer Weg 35 · 13055 Berlin Phone: +49 30 979916-30	 Felix Schuh – Fire Protection and Redevelopment, Dinslaken Friedrich-List-Str. 8 · 46539 Dinslaken Phone: +49 2064 4129-50	 Wrede & Niedecken, Maxdorf Im Horst 13 · 67133 Maxdorf Phone: +49 6237 9764-0
 Isolierungen Leipzig, Rostock An der Jägerbäk 10 · 18069 Rostock Phone: +49 381 66918-0	 INSULEX, Recklinghausen Beisinger Weg 1a, 45657 Recklinghausen Phone: +49 2361 90846-20	 G+H ISOLIERUNG, Sindelfingen Neckarstr. 50 · 71065 Sindelfingen Phone: +49 7031 6191-23
 G+H – DWUZET Fassadentechnik, Hamburg Bredowstr. 10 · 22113 Hamburg Phone: +49 40 73119-100	 P. Schulte-Stemmerk Dämmtechnik, Dinslaken Friedrich-List-Str. 8 · 46539 Dinslaken Phone: +49 2064 4129-0	 G+H Schallschutz, Sindelfingen Neckarstr. 50 · 71065 Sindelfingen Phone: +49 7031 6191-64
 G+H ISOLIERUNG, Hamburg Bredowstr. 10 · 22113 Hamburg Phone: +49 40 73119-9	 G+H ISOLIERUNG, Warendorf Beckumer Str. 11a · 48231 Warendorf Phone: +49 2581 92845-0	 G+H ISOLIERUNG, Karlsruhe Wikingenstr. 7 · 76189 Karlsruhe Phone: +49 721 55903-0
 G+H Marine, Hamburg Bredowstr. 10 · 22113 Hamburg Phone: +49 40 73343-2200	 G+H ISOLIERUNG, Wesseling Peter-Henlein-Str. 4 · 50389 Wesseling Phone: +49 2232 99391-0	 G+H ISOLIERUNG, Freiburg Hanferstr. 16 · 79108 Freiburg Phone: +49 761 13036-22
 G+H Schallschutz, Hamburg Bredowstr. 10 · 22113 Hamburg Phone: +49 40 73119-541	 Wrede & Niedecken, Wesseling Peter-Henlein-Str. 4 · 50389 Wesseling Phone: +49 2232 1801-0	 G+H ISOLIERUNG, Ingolstadt Schobersstr. 3 · 85055 Ingolstadt Phone: +49 841 379902-80
 Schuh Brandschutz und Sanierung, Hamburg Bredowstr. 10 · 22113 Hamburg Phone: +49 40 73343-141	 Nickel – Kraftwerke Klima/Lüftung Friedrich-Ebert-Straße · 51429 Bergisch Gladbach Phone: +49 2204 84-5200	 G+H ISOLIERUNG, München Röntgenstr. 5 · 85716 Unterschleißheim Phone: +49 89 31886-0
 G+H ISOLIERUNG, Bremen Oskar-Schulze-Straße 8 · 28832 Achim Phone: +49 421 3976-0	 G+H ISOLIERUNG, Trier/Koblenz Gottbillstr. 33 b · 54294 Trier Phone: +49 651 82723-0	 G+H Schallschutz, München Röntgenstr. 5 · 85716 Unterschleißheim Phone: +49 89 31886-114
 G+H ISOLIERUNG, Hannover Wendter Str. 12 · 31157 Sarstedt Phone: +49 5066 808-201	 G+H Fassadentechnik, Frankfurt Carl-Benz-Str. 7 · 60314 Frankfurt Phone: +49 69 40109-180	 Felix Schuh – Insulation, Donauwörth Ottheinrich Str. 3 · 86609 Donauwörth Phone: +49 906 21015
 Kreusch Isoliertechnik, Hannover Wendter Str. 12 · 31157 Sarstedt Phone: +49 5066 808-204	 G+H ISOLIERUNG, Frankfurt Carl-Benz-Str. 7 · 60314 Frankfurt Phone: +49 69 40109-121	 G+H Schallschutz, Friedrichshafen Kapellenstr. 31 · 88048 Friedrichshafen Phone: +49 7541 4099-23
 Felix Schuh – Insulation, Wuppertal Rheinstr. 57 · 42117 Wuppertal Phone: +49 202 24340-10	 G+H Schallschutz, Frankfurt Carl-Benz-Str. 7 · 60314 Frankfurt Phone: +49 69 40109-151	 G+H ISOLIERUNG, Regensburg Sarchinger Feld 14 · 93092 Barbing Phone: +49 9401 95390-0
 Kreusch, Wuppertal Rheinstr. 57 · 42117 Wuppertal Phone: +49 202 24340-0	 G+H ISOLIERUNG, Völklingen Neue Str. 17 · 66333 Völklingen Phone: +49 6898 2006-0	 G+H ISOLIERUNG, Bamberg Geisfelderstr. 22 · 96050 Bamberg Phone: +49 951 1895-0
 G+H Fassadentechnik, Bochum Auf den Holln 47 · 44894 Bochum Phone: +49 234 5872-0	 G+H Industrie Service, Ludwigshafen Bürgermeister-Grünzweig-Str. 1 · 67059 Ludwigshafen Phone: +49 621 671835-0	 G+H ISOLIERUNG, Würzburg Leuschnerstr. 2 · 97084 Würzburg Phone: +49 931 60081-0

Headquaters Western and Eastern Europe

 G+H Montage N.V., Antwerpen Antwerpsebaan 26, Haven 712 · 2040 Antwerpen, Belgium · Phone: +32 35 686017	 Van der Linden & Veldhuis, Vlaardingen Edisonstraat 5 · 31133 KG Vlaardingen, Netherlands · Phone: +31 10 4456600	 STIZO Industrial Services, București Calea Mosilor Nr. 36A Sector 3 · RO 030148 București, Romania · Phone: +40 21 3060841
 G+H Montage N.V., Beringen Industrieweg 59 · 3583 Beringen, Belgium · Phone: +32 11 434349	 Van der Linden & Veldhuis, Sas van Gent Vier Ambachtenstraat 12 · 4551 HB Sas van Gent, Netherlands · Phone: +31 115 452820	 STIZO Industrial Services, Ploiești Headquarters · Str. Andrei Mureșanu Nr. 52 · RO 100379, Ploiești, Jud. Prahova, Romania · Phone: +40 24 4407500
 G+H Montage Bulgaria EOOD Petra Straße 6-B · BG-1504 Sofia Bulgaria · Phone: +359 24 00 69 01	 G+H Akoestiek, Waalwijk Cartografenweg 28 · 5141 MT Waalwijk, Netherlands · Phone: +31 416 347054	 STIZO Industrial Services, Turceni Str. Uzinei Nr. 1 · RO 217520 · Turceni, Jud. Gorj, Romania · Phone: +40 25 3334094
 Van der Linden & Veldhuis, Wormerveer Vrijheidweg 51 · 1521 RP Wormerveer, Netherlands · Phone: +31 75 6174351		 STIZO NUCLEAR, Cernavoda Str. Valea Cismelei Nr. 3 · RO 905200 · Cernavoda, Romania · Phone: +40 241 237696

G+H ISOLIERUNG GmbH

Bürgermeister-Grünzweig-Straße 1 | 67059 Ludwigshafen | Germany | Phone: +49 0621 502-292 | Fax: +49 0621 502-599 | info@guh-gruppe.de | www.gruppe-guh.de